



# ATTORNEY DOCKET NO.: 05118.0002U2 PATENT

<u>HE UNITED STATES PATENT AND TRADEMARK OFFICE</u>

•	RECEIVED
In re application of	)
Townes et al.	) JUL <b>2 5</b> 2002
Townes et al.	TECH CENTER 1600/290
Serial No.: 10/009,359	) Group Art Unit: 1632
Confirmation No.: 5954	)
Filed: March 29, 2002	) Examiner: Unassigned
For: PRODUCTION OF HUMAN CELLS,	)
TISSUES, AND ORGANS IN ANIMALS	j ·

#### INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents Washington, D.C. 20231

NEEDLE & ROSENBERG, P.C. The Candler Building 127 Peachtree Street, N.E. Atlanta, Georgia 30303-1811

July 15, 2002

Sir:

Pursuant to the requirements of 37 C.F.R. § 1.56, submitted herewith on the accompanying form PTO 1449 is a listing of documents known to the applicants and/or their attorneys. Copies of these documents are enclosed.

Consideration of the cited documents and making the same of record in the prosecution of the above-noted application are respectfully requested.

-1-

## ATTORNEY DOCKET NO. 05118.0002U2 SERIAL NO. 10/009,359

No fee is believed due; however, the Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 14-0629.

Respectfully submitted,

NEEDLE & ROSENBERG, P.C.

David E. Huizenga Registration No. 49,026

The Candler Building 127 Peachtree Street, N.E. Atlanta, Georgia 30303-1811 404/688-0770

#### **CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on the date shown below.

David E. Huizenga

) M

1 10,20

W145766.WPD -2-



### COPY OF PAPERS ORIGINALLY FILED

## RECEIVED

JUL 2 5 2002

ATTORNEY DOCKET NO. 05118.0002U2 SERIAL NO. 10/009,359 CONFIRMATION NO. 5954 Page 1 of 1

Form PTO-1449
U.S. DEPARTMENT OF COMMERCE (Rev. 7-80)
PATENT AND TRADEMARK OFFICE

ATTORNEY DOCKET NO.: 05118.0002U2

**SERIAL NO. 10/009,359 CONFIRMATION NO. 5954** 

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)

APPLICANT: Townes et al.

FILING DATE: May 12, 2000

GROUP: Unassigned

INITIALS  A1 5.866,757 A 02/28/99 Reisner  A2 5.876,708 A 03/02/99 Sachs  FOREIGN PATENT DOCUMENTS  OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)  A3 Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/MAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1998)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):508-609 (1994)  A8 Kennedy et al. A common precursor for primitive enythropolesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Official et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-999 (1998)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)	(Use several sheets if hecessary)		FILING DATE: May 12, 2000		GROUP: Unassigned					
INITIALS  NO.  A1 5.866,757 A 02/28/99 Reisner  A2 5.876,708 A 03/02/99 Sachs  FOREIGN PATENT DOCUMENTS  OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)  A3 Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/NAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Celves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1998)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994)  A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Official et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1998)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)					U.S. PATENT DOCUMENTS					
FOREIGN PATENT DOCUMENTS  FOREIGN PATENT DOCUMENTS  OTHER REFERENCES (including Author, Title, Date, Pertinent Pages, Etc.)  A3 Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:831-834 (1997)  A5 Cibelli et al. Clored Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1399 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994)  A8 Kennedy et al. A common precursor for primitive erythropolesis and definitive haematopolesis. Nature 386:488-493 (1998)  A9 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:655-699 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoletin of the Erythropoletin Receptor. Cell 83(1):59-67 (1995)	EXAMINER INITIALS		1	DATE	NAME		SUBCLASS	FILING DATE IF APPROPRIATE		
FOREIGN PATENT DOCUMENTS  OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)  A3 Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1386 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994)  A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoletin of the Erythropoletin Receptor. Cell 83(1):59-67 (1995)		A1	5,866,757 A	02/28/99	Reisner					
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)  A3 Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:631-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994) - A8 Kennedy et al. A common precursor for primitive erythropolesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A2	5,876,708 A	03/02/99	Sachs			<u> </u>		
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)  A3 Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:631-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994) - A8 Kennedy et al. A common precursor for primitive erythropolesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)										
Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Scienc 277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994)  A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 280:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		,			FOREIGN PATENT DOCUMENT	s				
Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Scienc 277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994)  A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 280:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)			<u> </u>							
Barker et al. Hematopoietic repopulation of Adult Mice with Beta-Thalassemia. Blood 83(3):828-832 (1994)  A4 Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Scienc 277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994)  A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 280:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)				<u></u>						
Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994) A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)	· · · · · · · · · · · · · · · · · · ·	T								
277:831-834 (1997)  A5 Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. <i>Science</i> 280:1256-1258 (1998)  A6 Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide. <i>Science</i> 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. <i>Nature</i> 371(6498):606-609 (1994) 4  A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. <i>Nature</i> 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. <i>Nat. Med.</i> 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. <i>Science</i> 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. <i>Development</i> 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. <i>Science</i> 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. <i>Science</i> 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. <i>Nature</i> 385:810-813 (1997)  Wilmut. Cloning for Medicine. <i>Sci. Am.</i> 58-63 (1998)  Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. <i>Cell</i> 83(1):59-67 (1995)										
Cole-Strauss et al. Correction of the Mutation Responsible for Sickle Cell Anemia by an RNA-DNA Oligonucleotide.  Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994) 4  A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A4	Brown et al. Bypass of Senescence After Disruption of p21CIP1/WAF1 Gene in Normal Diploid Human Fibroblasts. Science 277:831-834 (1997)							
Science 273(5280):1386-1389 (1996)  A7 Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994) - A8 Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. Nat. Med. 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		<b>A</b> 5	Cibelli et al. Cloned Transgenic Calves Produced from Nonquiescent Fetal Fibroblasts. Science 280:1256-1258 (1998)							
Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. <i>Nature</i> 386:488-493 (1998)  A9 Lanza et al. Human therapeutic cloning. <i>Nat. Med.</i> 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. <i>Science</i> 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. <i>Development</i> 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. <i>Science</i> 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. <i>Science</i> 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. <i>Nature</i> 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. <i>Sci. Am.</i> 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. <i>Cell</i> 83(1):59-67 (1995)		<b>A</b> 6								
A9 Lanza et al. Human therapeutic cloning. <i>Nat. Med.</i> 5:975-977 (1999)  A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. <i>Science</i> 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. <i>Development</i> 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. <i>Science</i> 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. <i>Science</i> 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. <i>Nature</i> 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. <i>Sci. Am.</i> 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. <i>Cell</i> 83(1):59-67 (1995)		A7	Jonsson et al. Insulin-promoter-factor 1 is required for pancreas development in mice. Nature 371(6498):606-609 (1994)							
A10 Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		8A	Kennedy et al. A common precursor for primitive erythropoiesis and definitive haematopoiesis. Nature 386:488-493 (1998)							
288:665-669 (2000)  A11 Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. Development 122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A9	Lanza et al. Huma	an therapeutic o	cloning. Nat. Med. 5:975-977 (199	99)				
122(3):983-995 (1996)  A12 Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts.  Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A10	Lanza et al. Extension of Cell Life-Span and Telomere Length in Animals Cloned from Senescent Somatic Cells. Science 288:665-669 (2000)							
Science 278:2130-2133 (1997)  A13 Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)  A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A11	Offield et al. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum. <i>Development</i> 122(3):983-995 (1996)							
A14 Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)  A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A12	Schnieke et al. Human Factor IX Transgenic Sheep Produced by Transfer of Nuclei from Transfected Fetal Fibroblasts. Science 278:2130-2133 (1997)							
A15 Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)  A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A13	Thomson et al. Embryonic Stem Cell Lines Derived from Human Blastocysts. Science 282:1145-1147 (1998)							
A16 Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A14	Wilmut et al. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810-813 (1997)							
Erythropoietin Receptor. Cell 83(1):59-67 (1995)		A15	Wilmut. Cloning for Medicine. Sci. Am. 58-63 (1998)							
CAMINER: DATE CONSIDERED:		A16	Wu et al. Generation of Committed Erythroid BFU-E and CFU-E Progenitors Does Not Require Erythropoietin of the Erythropoietin Receptor. <i>Cell</i> 83(1):59-67 (1995)							
	EXAMINER:				DATE CONSIDERED:					
(AMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in normance and not considered. Include copy of this form with next communication to applicant.	EXAMINER: I	nitial if re	ference considered onsidered. Include	, whether or not	citation is in conformance with M	IPEP 609; Draw line the	nrough citation if	not in		